

Smartband for Heartbeat and Oxygen Saturation Monitoring with Critical Warning to Paramedic via IoT

I Dewa Gede Hari Wisana Wisana, Priyambada Cahya Nugraha, Farid Amrinsani, Fani Ferina Sani, Yusita Indhira Anwar, Satheeshkumar Palanisamy

Sphygmomanometer Sphygmomanometer with Led Bar Display to Improve the Blood Pressure Reading Accuracy

Bambang Guruh Irianto Guruh Irianto, Sumber Sumber, Elmira Rofida Al Haq, Mansour Asghari

Pulse Oximeter Design for SpO2 and BPM Recording on External Memory to Support the Covid-19 Diagnosis

Syaifudin Syaifudin, Triwiyanto Triwiyanto, Dinar Awal Harditamara, Faraz Masood

Nine Channel Data Logger to Measure Temperature Distribution on Dry Stelizer based on Andoid system

Anita Miftahul Maghfiroh, Singgih Yudha Setiawan, Bayu Trisono Aji Pambudi, Steyve Nyatte

Luxmeter Equipped with Proximity Sensor for Operating Lamp Light Calibration in Hospital
Levana Forra Wakidi, Lusiana Lusiana, Lamidi Lamidi, Artdieansyah Nur Wiaam, Isaac John Ibanga

The Effectiveness Of Moringa Leaf Extract (Moringa oleifera) on Cadmium and LDL Cholesterol Levels in Blood as Indicators of Atherosclerosis in Cadmium (Cd) Induced White Rats (Rattus norvegicus)

Vernanda Arsyah Nabilla, Indah Lestari, Christ Kartika Rahayuningsih, Juliana Christyaningsih

The Effectiveness of Moringa Oleifera Leaf Extract on Hepatotoxic Case Reviewing From Cadmium, SGOT and SGPT Blood Levels in White Rats (Rattus norvegicus) Induced With Cadmium (Cd)

Devi Puspitasari, Indah Lestari, Christ Kartika Rahayuningsih, Juliana Christyaningsih

Published by:
Poltekkes Kemenkes Surabaya

Editor-in-chief:
Dr. Triwiyanto

Jurnal Teknokes	Vol.15	Issue 3	pp. 128-180	September 2022	e-ISSN 2407-8964
----------------------------	---------------	----------------	--------------------	---------------------------	-----------------------------